



March 22, 2021

Ken Masse
Metro Vancouver
4730 Kingsway
Burnaby, BC V5H 0C6

Dear Ken Masse,

Re: **Metro Vancouver Project Permit No. 17-093**
Request for Construction Outside of Regular Work Hours
Annacis Island Wastewater Treatment Plant New Outfall System

The Vancouver Fraser Port Authority (the port authority) has received a request from Hatch on behalf of Metro Vancouver Ltd., to allow construction and physical activities, related to the above noted project, outside of the hours stated in Condition No. 32 of Project Permit No. 17-093.

The port authority understands the request for construction outside of regular work hours is to allow for concrete pours, which require a continuous pour of 48 hours to ensure cold joints do not form. Heavy lift items such as the river riser placement, sheet pile template and, sinking of outfall arms that require flexible hours to ensure works can be completed in a safe and timely manner. These works are not associated with tunnel advancement. In water work is proposed 24 hours a day, 7 days a week from the date of this letter to June 15, 2021. Metro Vancouver has an existing authorization for construction outside of regular work hours between June 16, 2021 and February 28, 2022.

The port authority further understand that these works are not anticipated to generate significant noise, that the Permit Holder is committed to implementing the mitigation measures identified in the request memorandum submitted on February 19, 2021, minimizing potential disturbances on surrounding residents, and addressing complaints promptly should they arise.

The port authority will allow construction outside regular hours of work during the above noted time periods provided the following conditions are met:

1. Metro Vancouver shall ensure the scope of works undertaken during extended hours is limited to the activities outlined in the proposal. No impact pile driving shall be undertaken during extended work hours.
2. Metro Vancouver shall circulate a construction notice to surrounding residents. The notice shall be consistent with the draft provided on March 12, 2021 and distributed a minimum of ten business days in advance of the commencement of works.
3. All Project Permit 17-093 conditions shall continue to apply during extended work hours.

.../2

Metro Vancouver
PP 17-093
March 22, 2021
Page 2 of 2

The port authority reserves the right to cancel or revoke authorization for extended work hours should noise levels exceed reasonable levels or should disturbances to surrounding communities persist.

Should you have any questions regarding this approval, please contact Regan Elley at 604-665-9594 or Regan.Elley@portvancouver.com.

Yours truly,

Vancouver Fraser Port Authority

ORIGINAL COPY SIGNED

p.p. Chris Bishop
Manager, Planning

Cc Regan Elley, Planner, Planning & Development, Vancouver Fraser Port Authority
Anika Calder, Compliance Monitoring and Enforcement Specialist, Environmental Programs, Vancouver Fraser Port Authority