

APPENDIX I – NOISE ASSESSMENT SCREENING WORKSHEET

This worksheet should be employed by one or more informed individuals representing the applicant in order to establish the potential to create noise impacts within surrounding areas. This screening procedure is opinion-based and largely qualitative in nature and involves completing a series of questions.

1. Complete this worksheet scoring each of the ten items.
2. Transfer the ten questionnaire scores into the Weighted Project Screening Scorecard provided as Appendix II – Noise Assessment Project Score.
3. Follow procedure in Appendix II

Question 1 – New Activity, Replacement or Expansion	
Will the project involve only the replacement of existing equipment or activities or the expansion of a pre-existing facility or activity, or will it involve significant new noise sources or activities?	
<ul style="list-style-type: none"> • Replacement of Existing Equipment or Activities • Expansion of Existing Equipment or Activities • New Equipment or Activities 	<p>Score 1 point</p> <p>Score 3 points</p> <p>Score 5 points</p>

Question 2 – Noise Levels Expected on Project Site	
Based on experience with similar operations at the current location or elsewhere, or on your best judgment, do you expect that noise levels within the project site will be:	
<ul style="list-style-type: none"> • Very Low • Low • Moderate • High • Very High 	<p>Score 1 point</p> <p>Score 2 points</p> <p>Score 3 points</p> <p>Score 4 points</p> <p>Score 5 points</p>

Question 3 - Presence of Undesirable Characteristics	
Will any of the key activities/sources create ongoing noise which:	
<p>(1) <input type="checkbox"/> is clearly tonal (hums, whirs, whines),</p> <p>(2) <input type="checkbox"/> is impulsive or has very rapid onset (bumps, bangs, material handling impacts, rail car shunting, compressed air release etc.), or</p> <p>(3) <input type="checkbox"/> contains strong low-frequency content (e.g. large diesel engines, large fans or air compressors).</p>	
<ul style="list-style-type: none"> • No • Yes, noise will contain one such characteristic • Yes, noise will contain two or three such characteristics 	<p>Score 0 points</p> <p>Score 3 points</p> <p>Score 5 points</p>

Question 4 – Presence of High-Energy Impulsive Noise	
Will any activities create ongoing noise which could be classified as “High-energy Impulsive”? Examples of such sources are limited in the port context but could include the industrial use of explosives or explosive circuit breakers.	
<ul style="list-style-type: none"> • No • Yes 	<p>Score 0 points</p> <p>Score 5 points</p>

Question 5 – Hours/Days of Operation	
Will the normal operating schedule be:	
• Day Shift only (5 days/week)	Score 1 point
• Day Shift only (7 days per week)	Score 2 points
• Day & Evening Shifts (5 days/week)	Score 2 points
• Day & Evening Shifts (7 days/week)	Score 3 points
• 24-hours per day (5 days /week)	Score 4 points
• 24-hours per day (7 days per week)	Score 5 points

Question 6 – Proximity to Noise-Sensitive Areas	
How far is the nearest noise-sensitive land use (residences, schools, hospitals, passive parks etc.) from the property line of the project site?	
• More than 1,000 m	Score 0 points
• 500 to 1,000 m	Score 1 point
• 250 to 500 m	Score 2 points
• 125 to 250 m	Score 3 points
• 60 to 125 m	Score 4 points
• less than 60 m	Score 5 points

Question 7 – Presence of Noise Shielding or Reflection	
Will buildings, structures and/or landforms partially or totally screen (that is, interrupt the line of sight and direct hearing) project noise sources from nearby noise receptors? Here consideration should be given to the relative elevations of the noise sources, the noise receivers (ground and upper floors) and the intervening buildings and/or landforms. Noise shielding effects are maximized when intervening buildings and/or landforms are higher and wider than both the noise source area and the noise receiver area. Alternatively, the project may involve construction of a building or other structure that, while not necessarily a significant source of noise itself, reflects noise from other sources towards adjacent noise-sensitive areas. This other noise may originate from project operations or from sources not related to the project, such as other port operations or transportation facilities related sources.	
• Substantial, continuous noise shielding	Score 0 points
• Substantial, but not total, screening	Score 1 point
• Intermittent shielding, e.g., row of smaller, non-adjointing buildings	Score 2 points
• Scattered shielding by objects, machinery, stockpiles	Score 3 points
• No shielding potential	Score 4 points
• No noise shielding and will reflect noise towards sensitive areas	Score 5 points

Question 8 – Baseline Noise Environment		
How would you rate the baseline (pre-project) noise environment within the noise sensitive area nearest the project site?		
• Very noisy (near busy highway, busy port, airport, heavy industry)		Score 1 point
• Noisy (near busy arterial road, light industrial area, urban core)		Score 2 points
• Moderately noise (near collector road, suburban residential)		Score 3 points
• Quiet (suburban residential away from collector roads)		Score 4 points
• Very Quiet (rural residential, well away from industry or main roads)		Score 5 points

Question 9 – Population Potentially Exposed to Project Noise		
Approximately how many residences or other noise sensitive land uses are located within 500 m of the project site's property line?		
• 5 or less		Score 1 point
• 5 to 15		Score 2 points
• 16 to 40		Score 3 points
• 41 to 100		Score 4 points
• more than 100		Score 5 points

Question 10 – Level of Community Concern about Noise		
What level of concern (e.g., complaint history) currently exists among residents/users of adjacent noise sensitive lands regarding noise emissions from PMV lands in general and your project site in particular?		
• No history of concern or complaints		Score 1 point
• Minor concerns have been expressed		Score 2 points
• Unknown		Score 3 points
• Moderate level of concern, some complaints		Score 4 points
• High level of concern/organized complaints		Score 5 points

APPENDIX II – NOISE ASSESSMENT PROJECT SCORE

This worksheet should be used together with the questionnaire in Appendix I – Noise Assessment Screening Worksheet. For each of the ten questions, this worksheet applies a weighting factor that is reflective of the relative importance of that attribute in forecasting noise impact potential. The overall noise impact potential of the project is determined by tallying the weighted values of all response scores to obtain a *Total Weighted Project Score* as follows:

1. Complete the questionnaire as provided in Appendix I – Noise Assessment Screening Worksheet, scoring each of the ten items.
2. Transfer the ten questionnaire scores into the Weighted Project Screening Scorecard provided below.
3. Apply the *Importance Weighting* factor (multiplying the weighting factor by the questionnaire score) and determine a *Weighted Score* for each item.
4. Tally the *Weighted Scores* and determine the *Total Weighted Project Score*
5. Submit a completed project score worksheet as part of the PER project permit application

No.	Attribute of Project or Project Setting	Questionnaire Score (Appendix I)	Importance Weighting	Weighted Score
1	New Activity, Replacement or Expansion	<input type="checkbox"/>	1.2	<input type="checkbox"/> 6
2	Noise Levels Expected on Project Site	<input type="checkbox"/>	1.8	<input type="checkbox"/> 2
3	Presence of Undesirable Characteristics	5	1.6	<input type="checkbox"/> 0
4	Presence of High Energy Impulsiveness Noise	0	1.6	0.0
5	Hours/Days of Operation	5	1.2	6.0
6	Proximity to Noise Sensitive Areas	5	1.6	<input type="checkbox"/> 0
7	Presence of Noise Shielding or Reflection	<input type="checkbox"/>	1.8	<input type="checkbox"/> 2
8	Baseline Noise Environment	<input type="checkbox"/>	1.6	<input type="checkbox"/> 6
9	Population Potentially Exposed to Project Noise	5	1.0	5.0
10	Level of Community Concern About Noise	5	1.2	6.0
Total Weighted Project Score :				52.6